Pain 125 (2006) 297–299

PAIN

www.elsevier.com/locate/pain

Author Index to Volume 125 (2006)

Akopian, A.N., see Patwardhan, A.M., **125** 114
Alfredsson, L., see Berglund, A., **125** 244
Allen, R.R., see Turk, D.C., **125** 208
Altmeppen, J., see Schmidt-Wilcke, T., **125** 89
Anderson, D.J., see Lynch, J.J., **125** 136

Bajwa, Z.H., see Jakubowski, M., **125** 286
Balão Cordeiro, R.S., see Lavich, T.R., **125** 180
Ballantyne, J.C., Opioids for chronic pain: Taking stock, **125** 3
Baron, R., see Rolke, R., **125** 197
Belfer, I., see Diatchenko, L., **125** 216
Benecke, R., see Göbel, H., **125** 82
Bereiter, D.F., see Bereiter, D.A., **125** 65
Bereiter, D.A., Cioffi, J.L., Bereiter, D.F., Zardeneta, G., Milam, S.B., Local blockade of integrins in the temporomandibular joint region reduces Fos-positive neurons in trigeminal subnucleus caudalis of female rats produced by jaw movement, **125** 65
Berg, K.A., see Patwardhan, A.M., **125** 114
Berglund, A., Bodin, L., Jensen, I., Wiklund, A., Alfredsson, L., The influence of prognostic factors on neck pain intensity, disability, anxiety and depression over a 2-year period in subjects with acute whiplash injury, **125** 244
Beyer, A., see Rolke, R., **125** 197
Bhalang, K., see Diatchenko, L., **125** 216
Binder, A., see Rolke, R., **125** 197
Birbaumer, N., see Rolke, R., **125** 197
Birklein, F., see Rolke, R., **125** 197
Bošković, B., see Vučković, S.M., **125** 10
Bodin, L., see Berglund, A., **125** 244
Bogdahn, U., see Schmidt-Wilcke, T., **125** 89
Boroujerdi, A., see Li, C.-Y., **125** 20
Bötefür, I.C., see Rolke, R., **125** 197
Braune, S., see Rolke, R., **125** 197
Brinkhaus, B., see Witt, C.M., **125** 98
Brinkhaus, B., see Willich, S.N., **125** 107
Bruera, E., see Eriksen, J., **125** 172
Bunnelle, W.H., see Lynch, J.J., **125** 136
Burke, L.B., see Turk, D.C., **125** 208
Bursch, B., Tsao, J.C.I., Meldrum, M., Zeltzer, L.K., Preliminary validation of a self-efficacy scale for child functioning despite chronic pain (child and parent versions), **125** 35
Burstein, R., see Jakubowski, M., **125** 286

Campbell, Tavis S., Holder, Mark D., France, Christopher R., The effects of experimenter status and cardiovascular reactivity on pain reports, **125** 264
Carlton, S.M., see Ji, G.C., **125** 296
Catchlove, R., see Sullivan, M.J.L., **125** 270
Chandler, J., see Turk, D.C., **125** 208
Cioffi, J.L., see Bereiter, D.A., **125** 65
Clarke, W.P., see Patwardhan, A.M., **125** 114
Cleeland, C., see Turk, D.C., **125** 208
MacLaren, J.E., Fortson, B.L., Friedman, A., DeMore, M., Lim, C.S., Shelton, E., Gangaram, B.Cohen, L.L., Randomized clinical trial of distraction for infant immunization pain, **125** 165
Covey, D.F., see Pathirathna, S., **125** 53
Cowan, P., see Turk, D.C., **125** 208
Craig, K.D., see de C Williams, A.C., **125** 202

Davis, K.D., see Hamani, C., **125** 188
de C Williams, A.C., Craig, K.D., A science of pain expression?, **125** 202
Dean, S.G., see Taylor, W.J., **125** 225
Decety, J., see Jackson, P.L., **125** 5
Demirakça, S., see Hermann, C., **125** 278
DeMore, M., see Cohen, L.L., **125** 165
Max, M.B., Goldman, D., Maixner, W.Diatchenko, L., Nackley, A.G., Slade, G.D., Bhalang, K., Belfer, I., Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli, **125** 216
Dickenson, A.H., see Li, C.-Y., **125** 20
Dimitrova, R., see Turk, D.C., **125** 208
Diogenes, A., see Patwardhan, A.M., **125** 114
Dionne, R., see Turk, D.C., **125** 208
Dostrovsky, J.O., see Hamani, C., **125** 188
Draganski, B., see Schmidt-Wilcke, T., **125** 89
Dworkin, R.H., see Turk, D.C., **125** 208

Eisenach, J.C., see Zhu, X., **125** 43
Eisenach, J.C., see Martin, T.J., **125** 257
Ekholm, O., see Eriksen, J., **125** 172
Eriksen, J., Sjøgren, P., Bruera, E., Ekholm, O., Rasmussen, N.K., Critical issues on opioids in chronic non-cancer pain:. An epidemiological study, **125** 172

Farias-Filho, F.A., see Lavich, T.R., **125** 180
Farrar, J.T., see Turk, D.C., **125** 208
Fehrenbacher, J.C., see Patwardhan, A.M., **125** 114
Feng, G., see Li, C.-Y., **125** 20
Fitzgerald, M., see Walker, S., **125** 204
Flor, H., see Rolke, R., **125** 197
Flor, H., see Hermann, C., **125** 278
Foley, K., see Inturrisi, C., **125** 199
Fortson, B.L., see Cohen, L.L., **125** 165
France, Christopher R., see Campbell, Tavis S., **125** 264
Friedman, A., see Cohen, L.L., **125** 165
Furue, H., see Rashid, M.H., **125** 125

Gänßbauer, S., see Schmidt-Wilcke, T., **125** 89
Gangaram, B., see Cohen, L.L., **125** 165
Gershon, R., see Turk, D.C., **125** 208
Gill, N., see Stinson, J.N., **125** 143

doi:10.1016/S0304-3959(06)00583-5

Goadsby, P.J., Squeezing life into botulinum toxin A in migraine: *Imploding versus Exploding Pain*, **125** 206
Göbel, H., Benecke R., Heinze, A., Reichel, G., Hefter, H., Efficacy and safety of a single botulinum type A toxin complex treatment (Dysport®) for the relief of upper back myofascial pain syndrome: Results from a randomized double-blind placebo-controlled multicentre study, **125** 82
Gold, M.S., see Li, C.-Y., **125** 20
Goldman, D., see Diatchenko, L., **125** 216
Gopalakrishnan, M., see Lynch, J.J., **125** 136
Gross, J., see Li, C.-Y., **125** 20

Hamani, C., Schwalb, J.M., Rezai, A.R., Dostrovsky, J.O., Davis, K.D., Lozano, A.M., Deep brain stimulation for chronic neuropathic pain: Long-term outcome and the incidence of insertional effect, **125** 188
Hampton Atkinson, J., see Turk, D.C., **125** 208
Hargreaves, K.M., see Patwardhan, A.M., **125** 114
Haythornthwaite, J.A., see Turk, D.C., **125** 208
Hefter, H., see Göbel, H., **125** 82
Heinze, A., see Göbel, H., **125** 82
Hermann, C., Hohmeister, J., Demirakça, S., Zohsel, K., Flor, H., Long-term alteration of pain sensitivity in school-aged children with early pain experiences, **125** 278
Hertz, S., see Turk, D.C., **125** 208
Hohmeister, J., see Hermann, C., **125** 278
Holder, Mark D., see Campbell, Tavis S., **125** 264
Honore, P., see Lynch, J.J., **125** 136
Huge, V., see Rolke, R., **125** 197

Inturrisi, C., Foley, K., Dr. Ray Houde (1916–2006), **125** 199

Jackson, P.L., Rainville, P., Decety, J., To what extent do we share the pain of others? Insight from the neural bases of pain empathy, **125** 5
Jadad, A.R., see Turk, D.C., **125** 208
Jakubowski, M., McAllister, P.J., Bajwa, Z.H., Ward, T.N., Smith, P., Burstein, R., Exploding *vs.* imploding headache in migraine prophylaxis with Botulinum Toxin A, **125** 286
Jarvis, M.F., see Lynch, J.J., **125** 136
Jena, S., see Willich, S.N., **125** 107
Jena, S., see Witt, C.M., **125** 98
Jensen, I., see Berglund, A., **125** 244
Jensen, M.P., see Turk, D.C., **125** 208
Jevtovic-Todorovic, V., see Pathirathna, S., **125** 53
Ji, G.C., Zhou, S.T., Shapiro, G., Reubi, J.C., Jurczyk, S., Carlton, S.M., Erratum to "Analgesic activity of a non-peptide imidazolidinedione somatostatin agonist: In vitro and in vivo studies in rat" [Pain 124 (2006) 34–49], **125** 296
Jurczyk, S., see Ji, G.C., **125** 296

Kavanagh, T., see Stinson, J.N., **125** 143
Kehlet, H., see Sjøgren, P., **125** 1
Kellstein, D., see Turk, D.C., **125** 208
Kerns, R.D., see Turk, D.C., **125** 208
Kim, S.A., see Martin, T.J., **125** 257
Klug, R., see Rolke, R., **125** 197
Kozey, J., see Sullivan, M.J.L., **125** 270
Kurwa, A., see Li, C.-Y., **125** 20

Landwehrmeyer, G.B, see Rolke, R., **125** 197
Lavich, T.R., Siqueira, R.d.A., Farias-Filho, F.A., Balão Cordeiro, R.S., Rodrigues e Silva, P.M., Martins, M.A., Neutrophil infiltration is implicated in the sustained thermal hyperalgesic response evoked by allergen provocation in actively sensitized rats, **125** 180
Lee, C.-H., see Lynch, J.J., **125** 136
Leinisch, E., see Schmidt-Wilcke, T., **125** 89
Li, K.-W., see Li, C.-Y., **125** 20
Li, C.-Y., Zhang, X.-L., Matthews, E.A., Li, K.-W., Kurwa, A., Boroujerdi, A., Gross, J., Gold, M.S., Dickenson, A.H., Feng, G., Luo, Z.D., Calcium channel $\alpha_2\delta_1$ subunit mediates spinal hyperexcitability in pain modulation, **125** 20
Liecker, B., see Witt, C.M., **125** 98
Lim, C.S., see Cohen, L.L., **125** 165
Lozano, A.M., see Hamani, C., **125** 188
Luo, Z.D., see Li, C.-Y., **125** 20
Lynch, J.J., Honore, P., Anderson, D.J., Bunnelle, W.H., Mortell, K.H., Zhong, C., Wade, C.L., Zhu, C.Z., Xu, H., Marsh, K.C., Lee, C.-H., Jarvis, M.F., Gopalakrishnan, M., (L)-Phenylglycine, but not necessarily other $\alpha_2\delta$ subunit voltage-gated calcium channel ligands, attenuates neuropathic pain in rats, **125** 136

MacLaren, J.E., see Cohen, L.L., **125** 165
Magerl, W., see Rolke, R., **125** 197
Maier, C., see Rolke, R., **125** 197
Maihöfner, C., see Rolke, R., **125** 197
Maixner, W., see Diatchenko, L., **125** 216
Manning, D.C., see Turk, D.C., **125** 208
Marsh, K.C., see Lynch, J.J., **125** 136
Martin, S., see Turk, D.C., **125** 208
Martin, T.J., Kim, S.A., Eisenach, J.C., Clonidine maintains intrathecal self-administration in rats following spinal nerve ligation, **125** 257
Martins, M.A., see Lavich, T.R., **125** 180
Matthews, E.A., see Li, C.-Y., **125** 20
Max, M.B., see Turk, D.C., **125** 208
Max, M.B., see Diatchenko, L., **125** 216
May, A., see Schmidt-Wilcke, T., **125** 89
McAllister, P.J., see Jakubowski, M., **125** 286
McDermott, M.P., see Turk, D.C., **125** 208
McGrath, P., see Turk, D.C., **125** 208
Meldrum, M., see Bursch, B., **125** 35
Milam, S.B., see Bereiter, D.A., **125** 65
Mortell, K.H., see Lynch, J.J., **125** 136
Moulin, D.E., see Turk, D.C., **125** 208

Nackley, A.G., see Diatchenko, L., **125** 216
Nurmikko, T., see Turk, D.C., **125** 208

Oosterman, J.M., van Harten, B., Weinstein, H.C., Scheltens, P., Scherder, E.J.A., Pain intensity and pain affect in relation to white matter changes, **125** 74

Palecek, J., see Pospisilova, E., **125** 233
Parker, R., see Zhu, X., **125** 43
Pathirathna, S., Covey, D.F., Todorovic, S.M., Jevtovic-Todorovic, V., Differential effects of endogenous cysteine analogs on peripheral thermal nociception in intact rats, **125** 53
Patwardhan, A.M., Diogenes, A., Berg, K.A., Fehrenbacher, J.C., Clarke, W.P., Akopian, A.N., Hargreaves, K.M., PAR-2 agonists activate trigeminal nociceptors and induce functional competence in the delta opioid receptor, **125** 114
Pospisilova, E., Palecek, J., Post-operative pain behavior in rats is reduced after single high-concentration capsaicin application, **125** 233
Prostran, M.Š., see Vučković, S.M., **125** 10

Quessy, S., see Turk, D.C., **125** 208

Rainville, P., see Jackson, P.L., **125** 5
Raja, S., see Turk, D.C., **125** 208
Rappaport, B.A., see Turk, D.C., **125** 208

Rashid, M.H., Furue, H., Yoshimura, M., Ueda, H., Tonic inhibitory role of α4β2 subtype of nicotinic acetylcholine receptors on nociceptive transmission in the spinal cord in mice, **125** 125
Rasmussen, N.K., see Eriksen, J., **125** 172
Rauschkolb, C., see Turk, D.C., **125** 208
Reichel, G., see Göbel, H., **125** 82
Reinhold, T., see Willich, S.N., **125** 107
Reubi, J.C., see Ji, G.C., **125** 296
Rezai, A.R., see Hamani, C., **125** 188
Robinson, J.P., see Turk, D.C., **125** 208
Rodrigues e Silva, P.M., see Lavich, T.R., **125** 180
Rolke, R., Baron, R., Maier, C., Tölle, T.R., Treede, R.-D., Beyer, A., Binder, A., Birbaumer, N., Birklein, F., Bötefür, I.C., Braune, S., Flor, H., Huge, V., Klug, R., Landwehrmeyer, G.B, Magerl, W., Maihöfner, C., Rolko, C., Schaub, C., Scherens, A., Sprenger, T., Valet, M., Wasserka, B., "Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values"[pain 123 (2006) 231-243], **125** 197
Rolko, C., see Rolke, R., **125** 197
Rothman, M., see Turk, D.C., **125** 208
Royal, M.A., see Turk, D.C., **125** 208

Savard, A., see Sullivan, M.J.L., **125** 270
Schaub, C., see Rolke, R., **125** 197
Scheltens, P., see Oosterman, J.M., **125** 74
Scherder, E.J.A., see Oosterman, J.M., **125** 74
Scherens, A., see Rolke, R., **125** 197
Schmidt-Wilcke, T., Leinisch, E., Gänßbauer, S., Draganski, B., Bogdahn, U., Altmeppen, J., May, A., Affective components and intensity of pain correlate with structural differences in gray matter in chronic back pain patients, **125** 89
Schwalb, J.M., see Hamani, C., **125** 188
Scott, J., see Turk, D.C., **125** 208
Segerdahl, M., Multiple dose gabapentin attenuates cutaneous pain and central sensitisation but not muscle pain in healthy volunteers, **125** 158
Selim, D., see Willich, S.N., **125** 107
Shapiro, G., see Ji, G.C., **125** 296
Shelton, E., see Cohen, L.L., **125** 165
Siegert, R.J., see Taylor, W.J., **125** 225
Simon, L., see Turk, D.C., **125** 208
Siqueira, R.d.A., see Lavich, T.R., **125** 180
Sjøgren, P., Kehlet, H., Jørgen Eriksen (1942–2005), **125** 1
Sjøgren, P., see Eriksen, J., **125** 172
Slade, G.D., see Diatchenko, L., **125** 216
Smith, P., see Jakubowski, M., **125** 286
Sprenger, T., see Rolke, R., **125** 197
Stanish, W.D., see Sullivan, M.J.L., **125** 270
Stauffer, J.W., see Turk, D.C., **125** 208
Stepanović-Petrović, R.M., see Vučković, S.M., **125** 10
Stevens, B., see Stinson, J.N., **125** 143
Stinson, J.N., Kavanagh, T., Yamada, J., Gill, N., Stevens, B., Systematic review of the psychometric properties, interpretability and feasibility of self-report pain intensity measures for use in clinical trials in children and adolescents, **125** 143
Stucki, G., see Turk, D.C., **125** 208
Sullivan, M.J.L., Thibault, P., Savard, A., Catchlove, R., Kozey, J., Stanish, W.D., The influence of communication goals and physical demands on different dimensions of pain behavior, **125** 270

Taylor, W.J., Dean, S.G., Siegert, R.J., Differential association of general and health self-efficacy with disability, health-related quality of life and psychological distress from musculoskeletal pain in a cross-sectional general adult population survey, **125** 225
Thibault, P., see Sullivan, M.J.L., **125** 270
Todorovic, S.M., see Pathirathna, S., **125** 53
Tölle, T.R., see Rolke, R., **125** 197
Tollett, J., see Turk, D.C., **125** 208
Tomić, M.A., see Vučković, S.M., **125** 10
Treede, R.-D., see Rolke, R., **125** 197
Tsao, J.C.I., see Bursch, B., **125** 35
Turk, D.C., Dworkin, R.H., Burke, L.B., Gershon, R., Rothman, M., Scott, J., Allen, R.R., Hampton Atkinson, J., Chandler, J., Cleeland, C., Cowan, P., Dimitrova, R., Dionne, R., Farrar, J.T., Haythornthwaite, J.A., Hertz, S., Jadad, A.R., Jensen, M.P., Kellstein, D., Kerns, R.D., Manning, D.C., Martin, S., Max, M.B., McDermott, M.P., McGrath, P., Moulin, D.E., Nurmikko, T., Quessy, S., Raja, S., Rappaport, B.A., Rauschkolb, C., Robinson, J.P., Royal, M.A., Simon, L., Stauffer, J.W., Stucki, G., Tollett, J., von Stein, T., Wallace, M.S., Wernicke, J., White, R.E., Williams, A.C., Witter, J., Wyrwich, K.W., Developing patient-reported outcome measures for pain clinical trials: IMMPACT recommendations, **125** 208

Ueda, H., see Rashid, M.H., **125** 125
Ugrešić, N., see Vučković, S.M., **125** 10

Valet, M., see Rolke, R., **125** 197
van Harten, B., see Oosterman, J.M., **125** 74
Vincler, M.A., see Zhu, X., **125** 43
von Stein, T., see Turk, D.C., **125** 208
Vučković, S.M., Tomić, M.A., Stepanović-Petrović, R.M., Ugrešić, N., Prostran, M.Š., Bošković, B., The effects of α_2-adrenoceptor agents on anti-hyperalgesic effects of carbamazepine and oxcarbazepine in a rat model of inflammatory pain, **125** 10

Wade, C.L., see Lynch, J.J., **125** 136
Walker, S., Fitzgerald, M., Infant pain traces, **125** 204
Wallace, M.S., see Turk, D.C., **125** 208
Ward, T.N., see Jakubowski, M., **125** 286
Wasserka, B., see Rolke, R., **125** 197
Wegscheider, K., see Witt, C.M., **125** 98
Weinstein, H.C., see Oosterman, J.M., **125** 74
Wernicke, J., see Turk, D.C., **125** 208
White, R.E., see Turk, D.C., **125** 208
Wiklund, A., see Berglund, A., **125** 244
Williams, A.C., see Turk, D.C., **125** 208
Willich, S.N., see Witt, C.M., **125** 98
Willich, S.N., Reinhold, T., Selim, D., Jena, S., Brinkhaus, B., Witt, C.M., Cost-effectiveness of acupuncture treatment in patients with chronic neck pain, **125** 107
Witt, C.M., see Willich, S.N., **125** 107
Witt, C.M., Jena, S., Brinkhaus, B., Liecker, B., Wegscheider, K., Willich, S.N., Acupuncture for patients with chronic neck pain, **125** 98
Witter, J., see Turk, D.C., **125** 208
Wyrwich, K.W., see Turk, D.C., **125** 208

Xu, H., see Lynch, J.J., **125** 136

Yamada, J., see Stinson, J.N., **125** 143
Yoshimura, M., see Rashid, M.H., **125** 125

Zardeneta, G., see Bereiter, D.A., **125** 65
Zeltzer, L.K., see Bursch, B., **125** 35
Zhang, X.-L., see Li, C.-Y., **125** 20
Zhong, C., see Lynch, J.J., **125** 136
Zhou, S.T., see Ji, G.C., **125** 296
Zhu, C.Z., see Lynch, J.J., **125** 136
Zhu, X., Vincler, M.A., Parker, R., Eisenach, J.C., Spinal cord dynorphin expression increases, but does not drive microglial prostaglandin production or mechanical hypersensitivity after incisional surgery in rats, **125** 43
Zohsel, K., see Hermann, C., **125** 278

Pain 125 (2006) 300–304

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 125 (2006)

α_2-Adrenoceptors
The effects of α_2-adrenoceptor agents on anti-hyperalgesic effects of carbamazepine and oxcarbazepine in a rat model of inflammatory pain **125**, 10
ACC
To what extent do we share the pain of others? Insight from the neural bases of pain empathy **125**, 5
Acupuncture
Acupuncture for patients with chronic neck pain **125**, 98
Acupuncture
Cost-effectiveness of acupuncture treatment in patients with chronic neck pain **125**, 107
Acute pain
Randomized clinical trial of distraction for infant immunization pain **125**, 165
Adolescents
Systematic review of the psychometric properties, interpretability and feasibility of self-report pain intensity measures for use in clinical trials in children and adolescents **125**, 143
Adrenergic receptors
Clonidine maintains intrathecal self-administration in rats following spinal nerve ligation **125**, 257
Aging
Pain intensity and pain affect in relation to white matter changes **125**, 74
Allergic hyperalgesia
Neutrophil infiltration is implicated in the sustained thermal hyperalgesic response evoked by allergen provocation in actively sensitized rats **125**, 180
Allodynia
(L)-Phenylglycine, but not necessarily other $\alpha_2\delta$ subunit voltage-gated calcium channel ligands, attenuates neuropathic pain in rats **125**, 136
Allodynia
Post-operative pain behavior in rats is reduced after single high-concentration capsaicin application **125**, 233
Allodynia
Clonidine maintains intrathecal self-administration in rats following spinal nerve ligation **125**, 257
Analgesia
(L)-Phenylglycine, but not necessarily other $\alpha_2\delta$ subunit voltage-gated calcium channel ligands, attenuates neuropathic pain in rats **125**, 136
Basal ganglia
Affective components and intensity of pain correlate with structural differences in gray matter in chronic back pain patients **125**, 89
Behavioral approaches
Randomized clinical trial of distraction for infant immunization pain **125**, 165
Blood pressure
The effects of experimenter status and cardiovascular reactivity on pain reports **125**, 264
Botulinum toxin
Efficacy and safety of a single botulinum type A toxin complex treatment (Dysport®) for the relief of upper back myofascial pain syndrome: Results from a randomized double-blind placebo-controlled multicentre study **125**, 82
Brain
(L)-Phenylglycine, but not necessarily other $\alpha_2\delta$ subunit voltage-gated calcium channel ligands, attenuates neuropathic pain in rats **125**, 136
Brainstem
Affective components and intensity of pain correlate with structural differences in gray matter in chronic back pain patients **125**, 89
Calcium channels
Calcium channel $\alpha_2\delta_1$ subunit mediates spinal hyperexcitability in pain modulation **125**, 20
Capsaicin
Post-operative pain behavior in rats is reduced after single high-concentration capsaicin application **125**, 233
Carbamazepine
The effects of α_2-adrenoceptor agents on anti-hyperalgesic effects of carbamazepine and oxcarbazepine in a rat model of inflammatory pain **125**, 10
Cardiovascular reactivity
The effects of experimenter status and cardiovascular reactivity on pain reports **125**, 264
Catastrophizing
The influence of communication goals and physical demands on different dimensions of pain behavior **125**, 270
Catechol-*O*-methyltransferase (COMT)
Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli **125**, 216
Central sensitization
Long-term alteration of pain sensitivity in school-aged children with early pain experiences **125**, 278
c-fos
Local blockade of integrins in the temporomandibular joint region reduces Fos-positive neurons in trigeminal subnucleus caudalis of female rats produced by jaw movement **125**, 65
Childhood
Long-term alteration of pain sensitivity in school-aged children with early pain experiences **125**, 278
Children
Systematic review of the psychometric properties, interpretability and feasibility of self-report pain intensity measures for use in clinical trials in children and adolescents **125**, 143
Chronic back pain
Affective components and intensity of pain correlate with structural differences in gray matter in chronic back pain patients **125**, 89

doi:10.1016/S0304-3959(06)00584-7

Chronic neck pain
Cost-effectiveness of acupuncture treatment in patients with chronic neck pain **125**, 107
Chronic non-cancer pain
Critical issues on opioids in chronic non-cancer pain:. An epidemiological study **125**, 172
Chronification
Affective components and intensity of pain correlate with structural differences in gray matter in chronic back pain patients **125**, 89
Complementary medicine
Acupuncture for patients with chronic neck pain **125**, 98
COMT val158met polymorphism
Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli **125**, 216
Cost-effectiveness analysis
Cost-effectiveness of acupuncture treatment in patients with chronic neck pain **125**, 107
Cyclooxygenase
Spinal cord dynorphin expression increases, but does not drive microglial prostaglandin production or mechanical hypersensitivity after incisional surgery in rats **125**, 43
DBS
Deep brain stimulation for chronic neuropathic pain: Long-term outcome and the incidence of insertional effect **125**, 188
Delta opioid receptor
PAR-2 agonists activate trigeminal nociceptors and induce functional competence in the delta opioid receptor **125**, 114
Dementia
Pain intensity and pain affect in relation to white matter changes **125**, 74
Disability
Differential association of general and health self-efficacy with disability, health-related quality of life and psychological distress from musculoskeletal pain in a cross-sectional general adult population survey **125**, 225
Distraction
Randomized clinical trial of distraction for infant immunization pain **125**, 165
Dynorphin
Spinal cord dynorphin expression increases, but does not drive microglial prostaglandin production or mechanical hypersensitivity after incisional surgery in rats **125**, 43
Economic evaluation
Cost-effectiveness of acupuncture treatment in patients with chronic neck pain **125**, 107
Effect modifiers
The influence of prognostic factors on neck pain intensity, disability, anxiety and depression over a 2-year period in subjects with acute whiplash injury **125**, 244
Electric stimulation
Multiple dose gabapentin attenuates cutaneous pain and central sensitisation but not muscle pain in healthy volunteers **125**, 158
Empathy
To what extent do we share the pain of others? Insight from the neural bases of pain empathy **125**, 5
Epidemiology
Critical issues on opioids in chronic non-cancer pain:. An epidemiological study **125**, 172
Epidemiology
The influence of prognostic factors on neck pain intensity, disability, anxiety and depression over a 2-year period in subjects with acute whiplash injury **125**, 244
Experimenter bias
The effects of experimenter status and cardiovascular reactivity on pain reports **125**, 264
Experimenter status
The effects of experimenter status and cardiovascular reactivity on pain reports **125**, 264
fMRI
To what extent do we share the pain of others? Insight from the neural bases of pain empathy **125**, 5
Follow-up studies
The influence of prognostic factors on neck pain intensity, disability, anxiety and depression over a 2-year period in subjects with acute whiplash injury **125**, 244
Functional capacity
Critical issues on opioids in chronic non-cancer pain:. An epidemiological study **125**, 172
Gabapentin
(L)-Phenylglycine, but not necessarily other $\alpha_2\delta$ subunit voltage-gated calcium channel ligands, attenuates neuropathic pain in rats **125**, 136
Gabapentin
Multiple dose gabapentin attenuates cutaneous pain and central sensitisation but not muscle pain in healthy volunteers **125**, 158
General population
Differential association of general and health self-efficacy with disability, health-related quality of life and psychological distress from musculoskeletal pain in a cross-sectional general adult population survey **125**, 225
Haplotype
Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli **125**, 216
Headache
Exploding *vs.* imploding headache in migraine prophylaxis with Botulinum Toxin A **125**, 286
Health belief measures
Preliminary validation of a self-efficacy scale for child functioning despite chronic pain (child and parent versions) **125**, 35
Human experimental
Multiple dose gabapentin attenuates cutaneous pain and central sensitisation but not muscle pain in healthy volunteers **125**, 158
Hyperalgesia
Multiple dose gabapentin attenuates cutaneous pain and central sensitisation but not muscle pain in healthy volunteers **125**, 158
Hyperalgesia
Post-operative pain behavior in rats is reduced after single high-concentration capsaicin application **125**, 233
Hypersensitivity
Clonidine maintains intrathecal self-administration in rats following spinal nerve ligation **125**, 257
Hypertonic saline
Multiple dose gabapentin attenuates cutaneous pain and central sensitisation but not muscle pain in healthy volunteers **125**, 158
IgE
Neutrophil infiltration is implicated in the sustained thermal hyperalgesic response evoked by allergen provocation in actively sensitized rats **125**, 180
Immunizations
Randomized clinical trial of distraction for infant immunization pain **125**, 165
Infants
Randomized clinical trial of distraction for infant immunization pain **125**, 165
Inflammatory hyperalgesia
The effects of α_2-adrenoceptor agents on anti-hyperalgesic effects of carbamazepine and oxcarbazepine in a rat model of inflammatory pain **125**, 10
Inhibitory postsynaptic currents
Tonic inhibitory role of $\alpha4\beta2$ subtype of nicotinic acetylcholine receptors on nociceptive transmission in the spinal cord in mice **125**, 125

Insula
To what extent do we share the pain of others? Insight from the neural bases of pain empathy **125**, 5
Integrins
Local blockade of integrins in the temporomandibular joint region reduces Fos-positive neurons in trigeminal subnucleus caudalis of female rats produced by jaw movement **125**, 65
Low-voltage-activated
Differential effects of endogenous cysteine analogs on peripheral thermal nociception in intact rats **125**, 53
Microglia
Spinal cord dynorphin expression increases, but does not drive microglial prostaglandin production or mechanical hypersensitivity after incisional surgery in rats **125**, 43
Microlesion
Deep brain stimulation for chronic neuropathic pain: Long-term outcome and the incidence of insertional effect **125**, 188
Musculoskeletal pain
Differential association of general and health self-efficacy with disability, health-related quality of life and psychological distress from musculoskeletal pain in a cross-sectional general adult population survey **125**, 225
Myofascial pain syndrome
Efficacy and safety of a single botulinum type A toxin complex treatment (Dysport®) for the relief of upper back myofascial pain syndrome: Results from a randomized double-blind placebo-controlled multicentre study **125**, 82
Neck pain
Acupuncture for patients with chronic neck pain **125**, 98
Neck pain
The influence of prognostic factors on neck pain intensity, disability, anxiety and depression over a 2-year period in subjects with acute whiplash injury **125**, 244
Neck pain and disability scale
Acupuncture for patients with chronic neck pain **125**, 98
Neonatal intensive care
Long-term alteration of pain sensitivity in school-aged children with early pain experiences **125**, 278
Net health benefit
Cost-effectiveness of acupuncture treatment in patients with chronic neck pain **125**, 107
Neuropathic pain
Calcium channel $\alpha_2\delta_1$ subunit mediates spinal hyperexcitability in pain modulation **125**, 20
Neuropathic pain
Clonidine maintains intrathecal self-administration in rats following spinal nerve ligation **125**, 257
Neutrophils
Neutrophil infiltration is implicated in the sustained thermal hyperalgesic response evoked by allergen provocation in actively sensitized rats **125**, 180
Nicotinic receptors
Tonic inhibitory role of α4β2 subtype of nicotinic acetylcholine receptors on nociceptive transmission in the spinal cord in mice **125**, 125
Nociceptive transmission
Tonic inhibitory role of α4β2 subtype of nicotinic acetylcholine receptors on nociceptive transmission in the spinal cord in mice **125**, 125
Nociceptors
Exploding *vs.* imploding headache in migraine prophylaxis with Botulinum Toxin A **125**, 286
Opioids
Critical issues on opioids in chronic non-cancer pain:. An epidemiological study **125**, 172
Oxcarbazepine
The effects of α_2-adrenoceptor agents on anti-hyperalgesic effects of carbamazepine and oxcarbazepine in a rat model of inflammatory pain **125**, 10
PAG
Deep brain stimulation for chronic neuropathic pain: Long-term outcome and the incidence of insertional effect **125**, 188
Pain
To what extent do we share the pain of others? Insight from the neural bases of pain empathy **125**, 5
Pain
Efficacy and safety of a single botulinum type A toxin complex treatment (Dysport®) for the relief of upper back myofascial pain syndrome: Results from a randomized double-blind placebo-controlled multicentre study **125**, 82
Pain
PAR-2 agonists activate trigeminal nociceptors and induce functional competence in the delta opioid receptor **125**, 114
Pain
Multiple dose gabapentin attenuates cutaneous pain and central sensitisation but not muscle pain in healthy volunteers **125**, 158
Pain
Neutrophil infiltration is implicated in the sustained thermal hyperalgesic response evoked by allergen provocation in actively sensitized rats **125**, 180
Pain
Deep brain stimulation for chronic neuropathic pain: Long-term outcome and the incidence of insertional effect **125**, 188
Pain
The effects of experimenter status and cardiovascular reactivity on pain reports **125**, 264
Pain
Exploding *vs.* imploding headache in migraine prophylaxis with Botulinum Toxin A **125**, 286
Pain affect
Pain intensity and pain affect in relation to white matter changes **125**, 74
Pain behavior
The influence of communication goals and physical demands on different dimensions of pain behavior **125**, 270
Pain communication
The influence of communication goals and physical demands on different dimensions of pain behavior **125**, 270
Pain intensity
Pain intensity and pain affect in relation to white matter changes **125**, 74
Pain intensity
Systematic review of the psychometric properties, interpretability and feasibility of self-report pain intensity measures for use in clinical trials in children and adolescents **125**, 143
Pain perception
Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli **125**, 216
Pain processing
Long-term alteration of pain sensitivity in school-aged children with early pain experiences **125**, 278
Pain sensitivity
Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli **125**, 216
Pain sensitivity
Long-term alteration of pain sensitivity in school-aged children with early pain experiences **125**, 278
Pain tolerance
The effects of experimenter status and cardiovascular reactivity on pain reports **125**, 264

Pain unpleasantness
The effects of experimenter status and cardiovascular reactivity on pain reports **125**, 264
PAR, Protease activated receptor
PAR-2 agonists activate trigeminal nociceptors and induce functional competence in the delta opioid receptor **125**, 114
Paw pressure test
The effects of α_2-adrenoceptor agents on anti-hyperalgesic effects of carbamazepine and oxcarbazepine in a rat model of inflammatory pain **125**, 10
Pediatric chronic pain
Preliminary validation of a self-efficacy scale for child functioning despite chronic pain (child and parent versions) **125**, 35
Peripheral sensory neurons
Differential effects of endogenous cysteine analogs on peripheral thermal nociception in intact rats **125**, 53
Phenylglycine
(L)-Phenylglycine, but not necessarily other $\alpha_2\delta$ subunit voltage-gated calcium channel ligands, attenuates neuropathic pain in rats **125**, 136
Plasticity
Affective components and intensity of pain correlate with structural differences in gray matter in chronic back pain patients **125**, 89
Postoperative pain
Spinal cord dynorphin expression increases, but does not drive microglial prostaglandin production or mechanical hypersensitivity after incisional surgery in rats **125**, 43
Pregabalin
(L)-Phenylglycine, but not necessarily other $\alpha_2\delta$ subunit voltage-gated calcium channel ligands, attenuates neuropathic pain in rats **125**, 136
Prognosis
The influence of prognostic factors on neck pain intensity, disability, anxiety and depression over a 2-year period in subjects with acute whiplash injury **125**, 244
Prostaglandins
Spinal cord dynorphin expression increases, but does not drive microglial prostaglandin production or mechanical hypersensitivity after incisional surgery in rats **125**, 43
PVG
Deep brain stimulation for chronic neuropathic pain: Long-term outcome and the incidence of insertional effect **125**, 188
Quality of life
Critical issues on opioids in chronic non-cancer pain:. An epidemiological study **125**, 172
Redox modulation
Differential effects of endogenous cysteine analogs on peripheral thermal nociception in intact rats **125**, 53
Reinforcement
Clonidine maintains intrathecal self-administration in rats following spinal nerve ligation **125**, 257
Reorganisation
Affective components and intensity of pain correlate with structural differences in gray matter in chronic back pain patients **125**, 89
Representation
To what extent do we share the pain of others? Insight from the neural bases of pain empathy **125**, 5
RNAi
PAR-2 agonists activate trigeminal nociceptors and induce functional competence in the delta opioid receptor **125**, 114
Routine care
Acupuncture for patients with chronic neck pain **125**, 98
Routine care
Cost-effectiveness of acupuncture treatment in patients with chronic neck pain **125**, 107
Self
To what extent do we share the pain of others? Insight from the neural bases of pain empathy **125**, 5
Self-efficacy
Preliminary validation of a self-efficacy scale for child functioning despite chronic pain (child and parent versions) **125**, 35
Self-efficacy
Differential association of general and health self-efficacy with disability, health-related quality of life and psychological distress from musculoskeletal pain in a cross-sectional general adult population survey **125**, 225
Self-report
Systematic review of the psychometric properties, interpretability and feasibility of self-report pain intensity measures for use in clinical trials in children and adolescents **125**, 143
Sensitivity to heat pain
Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli **125**, 216
Sensitivity to ischemic pain
Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli **125**, 216
Sensitivity to pressure pain
Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli **125**, 216
Sex differences
Local blockade of integrins in the temporomandibular joint region reduces Fos-positive neurons in trigeminal subnucleus caudalis of female rats produced by jaw movement **125**, 65
Single nucleotide polymorphism (SNP)
Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli **125**, 216
siRNA
PAR-2 agonists activate trigeminal nociceptors and induce functional competence in the delta opioid receptor **125**, 114
Somatosensory cortex
Affective components and intensity of pain correlate with structural differences in gray matter in chronic back pain patients **125**, 89
Spinal cord
Spinal cord dynorphin expression increases, but does not drive microglial prostaglandin production or mechanical hypersensitivity after incisional surgery in rats **125**, 43
Spinal cord
Clonidine maintains intrathecal self-administration in rats following spinal nerve ligation **125**, 257
Spinal dorsal horn
Tonic inhibitory role of α4β2 subtype of nicotinic acetylcholine receptors on nociceptive transmission in the spinal cord in mice **125**, 125
Spinal hyperexcitability
Calcium channel $\alpha_2\delta_1$ subunit mediates spinal hyperexcitability in pain modulation **125**, 20
Spinal nerve ligation
(L)-Phenylglycine, but not necessarily other $\alpha_2\delta$ subunit voltage-gated calcium channel ligands, attenuates neuropathic pain in rats **125**, 136
Substantia gelatinosa
Tonic inhibitory role of α4β2 subtype of nicotinic acetylcholine receptors on nociceptive transmission in the spinal cord in mice **125**, 125
Surgical pain
Post-operative pain behavior in rats is reduced after single high-concentration capsaicin application **125**, 233
Synergistic interaction
The effects of α_2-adrenoceptor agents on anti-hyperalgesic effects of carbamazepine and oxcarbazepine in a rat model of inflammatory pain **125**, 10

Systematic review
Systematic review of the psychometric properties, interpretability and feasibility of self-report pain intensity measures for use in clinical trials in children and adolescents **125**, 143
Temporal summation of heat pain
Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli **125**, 216
Thalamus
Deep brain stimulation for chronic neuropathic pain: Long-term outcome and the incidence of insertional effect **125**, 188
TMJ
Local blockade of integrins in the temporomandibular joint region reduces Fos-positive neurons in trigeminal subnucleus caudalis of female rats produced by jaw movement **125**, 65
Tonic inhibition
Tonic inhibitory role of $\alpha 4\beta 2$ subtype of nicotinic acetylcholine receptors on nociceptive transmission in the spinal cord in mice **125**, 125
Transgenic mice
Calcium channel $\alpha_2\delta_1$ subunit mediates spinal hyperexcitability in pain modulation **125**, 20
Trigeminal
PAR-2 agonists activate trigeminal nociceptors and induce functional competence in the delta opioid receptor **125**, 114
Trigeminal
Exploding *vs.* imploding headache in migraine prophylaxis with Botulinum Toxin A **125**, 286
Trigger point
Efficacy and safety of a single botulinum type A toxin complex treatment (Dysport®) for the relief of upper back myofascial pain syndrome: Results from a randomized double-blind placebo-controlled multicentre study **125**, 82
TRPV1
Post-operative pain behavior in rats is reduced after single high-concentration capsaicin application **125**, 233
Trypsin
PAR-2 agonists activate trigeminal nociceptors and induce functional competence in the delta opioid receptor **125**, 114
T-type calcium channels
Differential effects of endogenous cysteine analogs on peripheral thermal nociception in intact rats **125**, 53
Voxel based morphometry
Affective components and intensity of pain correlate with structural differences in gray matter in chronic back pain patients **125**, 89
Whiplash injuries
The influence of prognostic factors on neck pain intensity, disability, anxiety and depression over a 2-year period in subjects with acute whiplash injury **125**, 244
White matter
Pain intensity and pain affect in relation to white matter changes **125**, 74
Whole cell patch clamp
Tonic inhibitory role of $\alpha 4\beta 2$ subtype of nicotinic acetylcholine receptors on nociceptive transmission in the spinal cord in mice **125**, 125
Windup
Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli **125**, 216

Pain 125 (2006) 305–307

PAIN

www.elsevier.com/locate/pain

Contents to Volume 125 (2006)

Numbers 1,2 – November 2006

OBITUARY

Jørgen Eriksen (1942–2005)
P. Sjøgren, H. Kehlet (Denmark) 1

EDITORIAL

Opioids for chronic pain: Taking stock
J.C. Ballantyne (USA) 3

TOPICAL REVIEW

To what extent do we share the pain of others? Insight from the neural bases of pain empathy
P.L. Jackson, P. Rainville, J. Decety (Canada, USA) 5

RESEARCH PAPERS

The effects of α_2-adrenoceptor agents on anti-hyperalgesic effects of carbamazepine and oxcarbazepine in a rat model of inflammatory pain
S.M. Vučković, M.A. Tomić, R.M. Stepanović-Petrović, N. Ugrešić, M.Š. Prostran, B. Bošković (Serbia and Montenegro) 10

Calcium channel α_{21} subunit mediates spinal hyperexcitability in pain modulation
C.-Y. Li, X.-L. Zhang, E.A. Matthews, K.-W. Li, A. Kurwa, A. Boroujerdi, J. Gross, M.S. Gold, A.H. Dickenson, G. Feng, Z.D. Luo (USA, UK) 20

Preliminary validation of a self-efficacy scale for child functioning despite chronic pain (child and parent versions)
B. Bursch, J.C.I. Tsao, M. Meldrum, L.K. Zeltzer (USA) 35

Spinal cord dynorphin expression increases, but does not drive microglial prostaglandin production or mechanical hypersensitivity after incisional surgery in rats
X. Zhu, M.A. Vincler, R. Parker, J.C. Eisenach (USA) 43

Differential effects of endogenous cysteine analogs on peripheral thermal nociception in intact rats
S. Pathirathna, D.F. Covey, S.M. Todorovic, V. Jevtovic-Todorovic (USA) 53

Local blockade of integrins in the temporomandibular joint region reduces Fos-positive neurons in trigeminal subnucleus caudalis of female rats produced by jaw movement
D.A. Bereiter, J.L. Cioffi, D.F. Bereiter, G. Zardeneta, S.B. Milam (USA) 65

Pain intensity and pain affect in relation to white matter changes
J.M. Oosterman, B. van Harten, H.C. Weinstein, P. Scheltens, E.J.A. Scherder (The Netherlands) 74

Efficacy and safety of a single botulinum type A toxin complex treatment (Dysport®) for the relief of upper back myofascial pain syndrome: Results from a randomized double-blind placebo-controlled multicentre study
H. Göbel, A. Heinze, G. Reichel, H. Hefter, R. Benecke, on behalf of the Dysport myofascial pain study group (Germany) 82

Affective components and intensity of pain correlate with structural differences in gray matter in chronic back pain patients
T. Schmidt-Wilcke, E. Leinisch, S. Gänßbauer, B. Draganski, U. Bogdahn, J. Altmeppen, A. May (Germany) 89

Acupuncture for patients with chronic neck pain
C.M. Witt, S. Jena, B. Brinkhaus, B. Liecker, K. Wegscheider, S.N. Willich (Germany) 98

Cost-effectiveness of acupuncture treatment in patients with chronic neck pain
S.N. Willich, T. Reinhold, D. Selim, S. Jena, B. Brinkhaus, C.M. Witt (Germany) 107

PAR-2 agonists activate trigeminal nociceptors and induce functional competence in the delta opioid receptor
A.M. Patwardhan, A. Diogenes, K.A. Berg, J.C. Fehrenbacher, W.P. Clarke, A.N. Akopian, K.M. Hargreaves (USA) 114

Tonic inhibitory role of $\alpha 4\beta 2$ subtype of nicotinic acetylcholine receptors on nociceptive transmission in the spinal cord in mice
M.H. Rashid, H. Furue, M. Yoshimura, H. Ueda (Japan) 125

(L)-Phenylglycine, but not necessarily other α_2 subunit voltage-gated calcium channel ligands, attenuates neuropathic pain in rats
J.J. Lynch III, P. Honore, D.J. Anderson, W.H. Bunnelle, K.H. Mortell, C. Zhong, C.L. Wade, C.Z. Zhu, H. Xu, K.C. Marsh, C.-H. Lee, M.F. Jarvis, M. Gopalakrishnan (USA) 136

doi:10.1016/S0304-3959(06)00585-9

Systematic review of the psychometric properties, interpretability and feasibility of self-report pain intensity measures for use in clinical trials in children and adolescents
J.N. Stinson, T. Kavanagh, J. Yamada, N. Gill, B. Stevens (Canada) 143
Multiple dose gabapentin attenuates cutaneous pain and central sensitisation but not muscle pain in healthy volunteers
M. Segerdahl (Sweden) 158
Randomized clinical trial of distraction for infant immunization pain
L.L. Cohen, J.E. MacLaren, B.L. Fortson, A. Friedman, M. DeMore, C.S. Lim, E. Shelton, B. Gangaram (USA) 165
Critical issues on opioids in chronic non-cancer pain:. An epidemiological study
J. Eriksen, P. Sjøgren, E. Bruera, O. Ekholm, N.K. Rasmussen (Denmark, USA) 172
Neutrophil infiltration is implicated in the sustained thermal hyperalgesic response evoked by allergen provocation in actively sensitized rats
T.R. Lavich, R. de Azeredo Siqueira, F.A. Farias-Filho, R.S. Balão Cordeiro, P.M. Rodrigues e Silva, M.A. Martins (Brazil) 180

CLINICAL NOTE

Deep brain stimulation for chronic neuropathic pain: Long-term outcome and the incidence of insertional effect
C. Hamani, J.M. Schwalb, A.R. Rezai, J.O. Dostrovsky, K.D. Davis, A.M. Lozano (Canada) 188

CORRIGENDUM

Corrigendum to "Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values" [Pain 123 (2006) 231–243]
R. Rolke, R. Baron, C. Maier, T.R. Tölle, R.-D. Treede, A. Beyer, A. Binder, N. Birbaumer, F. Birklein, I.C. Bötefür, S. Braune, H. Flor, V. Huge, R. Klug, G.B. Landwehrmeyer, W. Magerl, C. Maihöfner, C. Rolko, C. Schaub, A. Scherens, T. Sprenger, M. Valet, B. Wasserka (Germany) 197

Number 3 – 5 December 2006

OBITUARY

Dr. Ray Houde (1916–2006)
C. Inturrisi, K. Foley (USA) 199

EDITORIALS

A science of pain expression?
A.C. de C Williams, K.D. Craig (UK, Canada) 202
Infant pain traces
M. Fitzgerald, S. Walker (UK) 204
Squeezing life into botulinum toxin A in migraine: *Imploding versus Exploding Pain*
P.J. Goadsby (UK) 206

REVIEW AND RECOMMENDATIONS

Developing patient-reported outcome measures for pain clinical trials: IMMPACT recommendations
D.C. Turk, R.H. Dworkin, L.B. Burke, R. Gershon, M. Rothman, J. Scott, R.R. Allen, J. Hampton Atkinson, J. Chandler, C. Cleeland, P. Cowan, R. Dimitrova, R. Dionne, J.T. Farrar, J.A. Haythornthwaite, S. Hertz, A.R. Jadad, M.P. Jensen, D. Kellstein, R.D. Kerns, D.C. Manning, S. Martin, M.B. Max, M.P. McDermott, P. McGrath, D.E. Moulin, T. Nurmikko, S. Quessy, S. Raja, B.A. Rappaport, C. Rauschkolb, J.P. Robinson, M.A. Royal, L. Simon, J.W. Stauffer, G. Stucki, J. Tollett, T. von Stein, M.S. Wallace, J. Wernicke, R.E. White, A.C. Williams, J. Witter, K.W. Wyrwich (USA, Canada) 208

RESEARCH PAPERS

Catechol-*O*-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli
L. Diatchenko, A.G. Nackley, G.D. Slade, K. Bhalang, I. Belfer, M.B. Max, D. Goldman, W. Maixner (USA, Australia, Thailand) 216
Differential association of general and health self-efficacy with disability, health-related quality of life and psychological distress from musculoskeletal pain in a cross-sectional general adult population survey
W.J. Taylor, S.G. Dean, R.J. Siegert (New Zealand) 225
Post-operative pain behavior in rats is reduced after single high-concentration capsaicin application
E. Pospisilova, J. Palecek (Czech Republic) 233
The influence of prognostic factors on neck pain intensity, disability, anxiety and depression over a 2-year period in subjects with acute whiplash injury
A. Berglund, L. Bodin, I. Jensen, A. Wiklund, L. Alfredsson (Sweden) 244
Clonidine maintains intrathecal self-administration in rats following spinal nerve ligation
T.J. Martin, S.A. Kim, J.C. Eisenach (USA) 257
The effects of experimenter status and cardiovascular reactivity on pain reports
T.S. Campbell, M.D. Holder, C.R. France (Canada, USA) 264
The influence of communication goals and physical demands on different dimensions of pain behavior
M.J.L. Sullivan, P. Thibault, A. Savard, R. Catchlove, J. Kozey, W.D. Stanish (Canada) 270

Long-term alteration of pain sensitivity in school-aged children with early pain experiences
C. Hermann, J. Hohmeister, S. Demirakça, K. Zohsel, H. Flor (Germany) 278
Exploding *vs.* imploding headache in migraine prophylaxis with Botulinum Toxin A
M. Jakubowski, P.J. McAllister, Z.H. Bajwa, T.N. Ward, P. Smith, R. Burstein (USA) 286

ERRATUM

Erratum to "Analgesic activity of a non-peptide imidazolidinedione somatostatin agonist: In vitro and in vivo studies in rat" [Pain 124 (2006) 34–49]
G.C. Ji, S.T. Zhou, G. Shapiro, J.C. Reubi, S. Jurczyk, S.M. Carlton (USA, Switzerland) 296

Author Index to Volume 125 297
Subject Index to Volume 125 300
Contents to Volume 125 305